

**RESTRICTED USE PESTICIDE
DUE TO HAZARD TO NON-TARGET ORGANISMS**

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certificate.

Kaput-D[®]

PRAIRIE DOG BAIT



NET WT. 30 LBS. (13.6 kg)

EPA Reg. No. 72500-22
EPA Est. 72500-CO-1

ACTIVE INGREDIENT:

Diphacinone(CAS No. 82-66-6).....0.005%

OTHER INGREDIENTS99.995%

TOTAL100.000%

Keep Out of Reach of Children

CAUTION

Harmful if swallowed.

See back panel for First Aid and additional
Precautionary Statements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and precautions. Only use for sites, pests, and application methods specified on this label.

IMPORTANT: Do not expose children, pets, or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Dispose of product container, unused, spoiled and unconsumed bait as specified on this label.

Use Restrictions: This product may only be used as follows:

1. Sites/Pests: Black-Tailed Prairie Dogs (*Cynomys ludovicianus*) on rangeland and adjacent non-crop areas.

2. States: Colorado, Kansas, Montana, Nebraska, New Mexico, North Dakota, Oklahoma, South Dakota, Texas and Wyoming. Do not apply this product within the exterior boundaries of the Crow Reservation or the Blackfeet Reservation in Montana.

3. Application: This product may only be used in underground applications. Do not apply bait at or above ground level. Treat only active burrows. Leave no bait on soil surface. Applicator must retrieve and dispose of any bait that is spilled above ground or placed less than 6 inches down the burrow entrance.

4. Treatment Period: Apply between October 1 and March 15 of the following year, when animals will most readily take the grain bait.

5. Non-Applicators: Do not allow children, pets, domestic animals or persons not involved in the application to be in the area where the product is being applied.

6. Grazing Restriction: Do not allow livestock to graze in treated areas for 14 days after treatment and when no bait is found above ground.

7. Other: Do not use *Kaput®-D Prairie Dog Bait* with any other anticoagulant prairie dog bait. For each treatment area, only one anticoagulant rodenticide active ingredient (diphacinone or chlorophacinone) may be used per treatment period.

Endangered Species: It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Use of this product may pose a hazard to endangered or threatened species. When using this product, you must follow the measures contained in the Endangered Species Protection Bulletin for the area in which you are applying the product. To obtain Bulletins, no more than six months before using this product, consult <http://www.epa.gov/espp/> or call 1-844-447-3813. You must use the Bulletin valid for the month in which you will apply the product.

Site Assessment: Before applying this product, identify active prairie dog burrows by visual observation. The openings of active burrows will generally be free of leaves, seeds, other debris or spider webs, and will show freshly turned earth, and have prairie dog feces nearby.

Application Directions:

Method 1: Application by Hand: Apply ¼ cup of bait (approx. 2 ounces or 56 grams) at least 6 inches down prairie dog burrows. Make sure no bait is left on the soil surface. Applicator must retrieve and dispose of any bait that is spilled above ground or placed less than 6 inches down the burrow entrance.

Method 2: Application by Mechanical Bait Placement Machine: Apply ¼ cup of bait (approx. 2 ounces or 56 grams) at least 6 inches down prairie dog burrows. Apply with a mechanical bait application machine that is designed, constructed and operated in a manner that ensures bait is properly placed at least 6 inches down prairie dog burrows. Mechanical bait application machines must be calibrated to ensure that the proper amount of bait is dispensed into each prairie dog burrow. Make sure no bait is left on the soil surface. Applicator must retrieve and dispose of any bait that is spilled above ground or placed less than 6 inches down the burrow entrance.

Follow-up: Prairie dogs that have eaten this bait will begin to die off 4 to 5 days after the first treatment. The applicator must return to the site within 4 days after bait a

