

RESTRICTED USE PESTICIDE


Due to Need for Highly Specialized Applicator Training

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Kaput[®]

RODENT FLEA CONTROL BAIT

Grain Bait Formula
KILLS FLEAS, NOT THE RODENT



NET WT. 25 LBS. (11.3 kg)

EPA Reg. No. 72500-17

EPA Est. 72500-CO-1

ACTIVE INGREDIENT:

Imidacloprid (CAS Number 138261-41-3) 0.025%

OTHER INGREDIENTS 99.975%

TOTAL 100.000%

Keep Out of Reach of Children

CAUTION

Harmful if swallowed.

See below for First Aid and additional Precautionary Statements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This label must be in the user's possession at the time of application of this product.

Apply this product only for the sites, pests and application methods specified on this label.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other domestic animals to this product. To help prevent accidents:

1. Store product not in use in locations out of reach of children, pets and other animals.
2. Keep pets and livestock out of treated areas until bait has been consumed by the rodents.
3. Dispose of product container, unused, spoiled or unconsumed bait as directed on this label.

Use Restrictions: Use this product to aid in the reduction of flea populations on squirrels of the Genus *Spermophilus* and prairie dogs of the Genus *Cynomys* in parks, golf courses, rangeland, pasture, alfalfa, wheat, oats, barley, fruit tree orchards (dormant season only), non-crop rights-of-way and other non-crop areas. The insecticide in this product acts systemically to aid in the reduction of fleas that commonly infest listed rodents including *Oropsylla idahoensis*, *O. hirsute* and *Hoplopsyllus anornatus*. Apply this product only at times of year when these rodents are readily accepting grains. Bait at a time when rain is not expected for at least four days after the time of baiting. Do not apply bait over roads, walkways or water.

Wear gloves when applying bait. With detergent and hot water, wash all utensils used for applying bait. Do not use these utensils for mixing, holding or transferring foods or feeds.

Baiting: Manually scatter 1/2 cup of bait (approximately 2 ounces or 56 grams) on ground near each burrow opening being used by ground squirrels or prairie dogs. Bait spoons, measuring cups or other suitable implements may be used to measure and distribute bait. Re-apply bait to the same area every other day for 3-4 applications. Do not pile the bait; scattering the bait allows the rodents to utilize their natural foraging behavior and limits exposure to livestock and non-target wildlife.

A continuous supply of bait is needed for 6 to 8 days to ensure that all ground squirrels or prairie dogs present have an opportunity to feed on bait for at least 5 consecutive days. Do not exceed the maximum rate of 1/2 cup per application and four applications per burrow.

Special Application for Military Use to Aid in the Reduction of *Phlebotomus* Sand Fly Larvae and Fleas:

Use Restrictions: Use this product only to aid in the reduction of sand flies and fleas in military installations, activity and training areas, desert areas, and areas where sand flies and fleas are prevalent. The insecticide in this product acts to kill sand fly larvae that feed on feces and other waste materials associated with the host rodent, and acts systemically

to kill fleas on host rodent. Apply this product only at times of year when these rodents are readily accepting grains. Bait at a time when rain is not expected for at least four days after the time of baiting. Do not apply bait over roads, walkways or water.

Wear gloves when applying bait. With detergent and hot water, wash all utensils used for applying bait. Do not use these utensils for mixing, holding or transferring foods or feeds.

Baiting: Manually scatter 1/2 cup of bait (approximately 2 ounces or 56 grams) in and around burrows being used by field rodents. Bait spoons, measuring cups or other suitable implements may be used to measure and distribute bait. Use a mechanical spreader to broadcast bait on areas less than 10 acres in size. Re-apply bait to the same area every other day for 3 to 4 applications. Do not pile the bait; scattering the bait allows the rodents to utilize their natural foraging behavior and limits exposure to livestock and non-target wildlife.

A continuous supply of bait is needed for 6 to 8 days to ensure that all field rodents present have an opportunity to feed on bait for at least 5 consecutive days.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Non-refillable container; do not reuse or refill this container. Offer for recycling, if available, or reconditioning, if appropriate; otherwise, dispose of empty container in a sanitary landfill; or by incineration.

Lot Number: See Container Lid

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Keep away from humans, domestic animals and pets. Causes moderate eye irritation. Do not get in eyes or on skin or clothing. Wash arms, hands and face with soap and water after applying and before eating, drinking, chewing gum, using tobacco or using the toilet. Applicators must wear long-sleeved shirt, long pants, socks, shoes and gloves.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Poison Information Center at 1-800-858-7378 for emergency medical treatment information.

If Swallowed, immediately call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Immediately rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in Eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN

No specific antidote is available; treat the patient symptomatically.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates and toxic to mammals and birds. Do not apply this product directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

WARRANTY

To the extent consistent with applicable law, Manufacturer and Seller make no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use/handling is contrary to label instructions.

Scimetrics

LTD. CORP.

New Solutions to Old Problems

P.O. Box 1045 Wellington, CO 80549-1045

(970) 482-1330

customerservice@kaputproducts.com

Made in USA

Label Version 3/12/15



8 53215 00025 5